



FUNGICIDE

Curfew®

A curative fungicide for control of downy mildew in garlic and onions and late blight in potatoes

Contains 450g/kg cymoxanil in the form of a water dispersible granule

HARMFUL // ECOTOXIC

Keep out of the reach of children

Net Contents **2.5 kg**

GROUP

27

FUNGICIDE



agrisource.co.nz

FREE RECYCLING



AGRECOVERY

www.agrecovery.co.nz

READ LABEL COMPLETELY BEFORE USE

WARNING - KEEP OUT OF REACH OF CHILDREN



HARMFUL

Harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.

ECOTOXIC

Very Toxic to fish with long lasting effects. Avoid contamination of any water supply with chemical or empty container. Do not apply **Curfew** onto or near water. Harmful to terrestrial vertebrates. Do not apply onto or into water. Avoid release to the environment. Collect spillage.

QUALIFICATIONS REQUIRED FOR USE OF CLASS 9 PRODUCTS

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified. Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for a list of suitable qualifications.

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for details of information that must be recorded.

PERSONAL PROTECTION AND HANDLING PRECAUTIONS

Do not eat, drink or smoke while using. Wear protective clothing, impervious gloves, waterproof hat, coat and trousers when using. When mixing or applying, do not breathe powder, mist, vapours or spray. Remove protective clothing and wash hands and face thoroughly before meals and after work. May be harmful if swallowed, inhaled or in contact with skin. Avoid contact with the eyes. Wash contaminated clothing before reuse.

DISPOSAL: Dispose of this product only by using according to the label or at an approved landfill in accordance with Local Regulations. Avoid contamination of any water supply with product or empty container.

CONTAINER DISPOSAL: Triple rinse container and add residue to spray tank. Submit clean empty container for recycling through Agrecovery. If this is not possible, burn if permitted and circumstances, especially wind direction, allow, otherwise bury in landfill.

STORAGE: Store in the original container, tightly closed and in a locked, dry cool well ventilated area away from feed, seeds and foodstuffs. Storage must be in accordance with the current version of NZS9409 Management of Agrochemicals and storage of certain quantities may require bunding and signage. See the Product Safety Card for this product for further information. When stored appropriately this product should show no significant degradation for two years.

SPILLS: When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION AND HANDLING PRECAUTIONS section. Sweep up spilled material, collect and store in properly labelled, sealed drums for safe disposal. Avoid creating dust. If spray mixture is spilled, contain and absorb in suitable inert absorbent material and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

FIRST AID

If swallowed. Rinse mouth. DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 Poison (0800 764 766) or a doctor immediately. IF ON SKIN: Wash with plenty of soap and water. DO NOT SCRUB SKIN. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Registered pursuant to the ACVM Act 1997, No P8010
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSN0 Act 1996 No HSR100090
See www.epa.govt.nz for approval conditions

24 HOUR EMERGENCY RESPONSE 0800 CHEMCALL (0800 243 622)

GENERAL DIRECTIONS

Curfew is a contact and systemic fungicide that has curative activity on downy mildew and late blight, when applied immediately after spore germination. It also acts as a short term protectant.

IMPORTANT - RESISTANCE MANAGEMENT

Curfew contains the **GROUP 22 FUNGICIDE** cyproconazole. Resistance to pesticides can develop from excessive use. To minimise this risk, avoid using this fungicide exclusively all season, avoid unnecessary spraying and endeavour to alternate with fungicides from other groups within the crop and in subsequent seasons for a sprayed paddock. Use strictly in accordance with label instructions. Maintain good cultural practices. Always apply **Curfew** in mixture with mancozeb fungicide. See 'Directions for Use' for recommendations. Do not use **Curfew** more than three times in succession and do not apply more than 5 times per season.

RAINFALL: Do not spray if rainfall is expected within 1 hour of spraying.

COMPATIBILITY: **Curfew** is compatible with most insecticides, but it is not compatible with Bordeaux mixture, lime-sulphur or other alkaline products.

MIXING: Add the required amount of **Curfew** directly into the partly filled spray tank whilst agitating.

Ensure **Curfew** is mixed thoroughly before adding any other pesticide to the spray tank. Agitate during use and before using after a stoppage. Use all spray as soon as possible after mixing and do not allow to stand for an extended period, such as overnight.

APPLICATION: DIRECTIONS FOR USE

It is an offence to use this product on animals

As indicated below, **Curfew** must be used in combination with mancozeb, and is intended to be used as part of a spray programme with alternative fungicides.

| CROP | DISEASE | REMARKS |
|------------------|-----------------|---|
| Garlic Onions | Downy Mildew | Apply 250-350g/ha as a tankmix partner with mancozeb at the recommended label rates. Begin spraying at the 2 true leaf stage and continue at 7-10 day intervals. Apply Curfew immediately after an infection period (but before disease symptoms occur). Do not use more than three times in succession and do not apply more than 5 times per season. |
| Potatoes | Late Blight | Apply 220-250g/ha as a tankmix partner with mancozeb at the recommended label rates at 7-10 day intervals. Use Curfew applying immediately after an infection period (but before disease symptoms occur) and use alternative fungicides at other times. Do not use more than three times in succession and do not apply more than 5 times per season. Use the higher rate of Curfew under extreme infection conditions (Warm with high humidity). |

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Comounds.

CONDITIONS OF SUPPLY

All goods supplied by us are produced under rigid quality control procedures which assure the purchaser that at the time of sale they are physically suitable for use in the manner stated. However, to the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Agri Solutions Ltd as registrant, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

© Curfew is the registered Trademark of Agri Solutions Ltd

REGISTRANT

Agri Solutions Ltd
45 Kitchener Road, Pukekohe 2120

DISTRIBUTOR

AgriSource (2000) Ltd
45 Kitchener Road, Pukekohe 2120
09 237 0442 - www.agrisource.co.nz

BATCH NO:

**DATE OF
MANUFACTURE:**